


# Temperature and Humidity Changes in Chemical Storage

Ensure that your precious chemicals are stored at an appropriate temperature and humidity, as well as standardize chemical management and work procedures.

## ■ Highlights

- Place the LR5001 Temperature and Humidity Logger in the chemical storage.
- The LR5001 measures temperature and humidity and acquires the data at constant intervals.
- The measured data can be transferred to a PC and displayed in graph format.  
(To display the data in graph format, the LR5091 Communication Adapter or the LR5092 Data Collector is required.)
- Acquisition and recording of temperature data at constant intervals allows monitoring to ensure the temperature in the chemical storage is kept at a constant level.
- The screen of the logger allows you to view the maximum and minimum temperatures from the start of recording.
- The logger can be used in space such as a book or musical instrument storage room whose temperature you want to keep at a constant level.



日時	温度	湿度
09/08/02 11:30:41	25.1	58.2
09/08/02 11:34:41	25.1	58.2
09/08/02 11:38:41	25.1	58.2
09/08/02 11:42:41	25.1	58.2
09/08/02 11:46:41	25.1	58.2
09/08/02 11:50:41	25.1	58.2
09/08/02 11:54:41	25.1	58.2



HUMIDITY LOGGER LR5001

## Products used

HUMIDITY LOGGER LR5001  
 COMMUNICATION ADAPTER LR5091  
 DATA COLLECTOR LR5092-20