

**SAMPLE**

検査成績表

<TEST REPORT>

品名<Model Name> ( 抵抗計 <RESISTANCE METER> )  
 形名<Model Number> ( RM3542A(RM3542-50) )  
 製造番号<Serial No.> ( No. 171012345 )  
 検査年月日<Test Date> ( 2017-10-06 )  
 <YYYY-MM-DD>  
 検査条件<Test Conditions> ( 24.2 °C, 59 %rh )

項目 <Item>	レンジ <Range>	入力 <Input>	許容範囲 <Tolerance>	校正値 * <Calibration Value>
確度<Accuracy>				
Ω LP OFF 電源周波数<Supply frequency>60Hz, 測定スピード<Measurement speed>SLOW				
	100mΩ	0 Ω	-0.0020 mΩ ~ 0.0020 mΩ	( 0.0001 mΩ )
		100mΩ	99.9830 mΩ ~ 100.0170 mΩ	( 100.0013 mΩ )
	1000mΩ	0 Ω	-0.010 mΩ ~ 0.010 mΩ	( 0.001 mΩ )
		1000mΩ	999.870 mΩ ~ 1000.130 mΩ	( 999.999 mΩ )
	3Ω	0 Ω	-0.00003 Ω ~ 0.00003 Ω	( 0.00000 Ω )
		1Ω	0.99985 Ω ~ 1.00015 Ω	( 1.00002 Ω )
	10Ω	0 Ω	-0.00010 Ω ~ 0.00010 Ω	( 0.00000 Ω )
		10 Ω	9.99910 Ω ~ 10.00090 Ω	( 9.99983 Ω )
	100Ω	0 Ω	-0.0010 Ω ~ 0.0010 Ω	( 0.0001 Ω )
		19 Ω	18.9977 Ω ~ 19.0023 Ω	( 19.0001 Ω )
		100 Ω	99.9920 Ω ~ 100.0080 Ω	( 100.0002 Ω )
	300Ω	0 Ω	-0.003 Ω ~ 0.003 Ω	( 0.000 Ω )
		100 Ω	99.990 Ω ~ 100.010 Ω	( 100.001 Ω )
		190 Ω	189.984 Ω ~ 190.016 Ω	( 190.001 Ω )
	1000Ω	0 Ω	-0.010 Ω ~ 0.010 Ω	( 0.001 Ω )
		190 Ω	189.979 Ω ~ 190.021 Ω	( 190.000 Ω )
		1000 Ω	999.930 Ω ~ 1000.070 Ω	( 1000.010 Ω )
	10kΩ	0 Ω	-0.00010 kΩ ~ 0.00010 kΩ	( -0.00001 kΩ )
		1.9kΩ	1.89977 kΩ ~ 1.90023 kΩ	( 1.90002 kΩ )
		10kΩ	9.99920 kΩ ~ 10.00080 kΩ	( 10.00008 kΩ )
	30kΩ	0 Ω	-0.0003 kΩ ~ 0.0003 kΩ	( 0.0000 kΩ )
		10kΩ	9.9990 kΩ ~ 10.0010 kΩ	( 10.0002 kΩ )
		19kΩ	18.9984 kΩ ~ 19.0016 kΩ	( 19.0002 kΩ )
		30kΩ	29.9976 kΩ ~ 30.0024 kΩ	( 30.0007 kΩ )
	100kΩ	0 Ω	-0.0010 kΩ ~ 0.0010 kΩ	( 0.0000 kΩ )
		19kΩ	18.9977 kΩ ~ 19.0023 kΩ	( 19.0004 kΩ )
		100kΩ	99.9920 kΩ ~ 100.0080 kΩ	( 100.0013 kΩ )
	300kΩ	0 Ω	-0.003 kΩ ~ 0.003 kΩ	( 0.000 kΩ )
		100kΩ	99.990 kΩ ~ 100.010 kΩ	( 100.001 kΩ )
		190kΩ	189.984 kΩ ~ 190.016 kΩ	( 190.003 kΩ )
	1000kΩ	0 Ω	-0.010 kΩ ~ 0.010 kΩ	( -0.002 kΩ )
		190kΩ	189.975 kΩ ~ 190.025 kΩ	( 190.004 kΩ )
		1000kΩ	999.910 kΩ ~ 1000.090 kΩ	( 1000.013 kΩ )

\* FAIL判定箇所は、グレー表示としています。<FAIL decision points are highlighted in gray.>

総合判定<Overall Result>	検査者<Inspected by>	承認者<Approved by>
( PASS )	( )	( )

**SAMPLE** 検査成績表  
<TEST REPORT>

品名<Model Name> ( 抵抗計 <RESISTANCE METER> )  
 形名<Model Number> ( RM3542A(RM3542-50) )  
 製造番号<Serial No.> ( No. 171012345 )  
 検査年月日<Test Date> ( 2017-10-06 )  
 <YYYY-MM-DD>  
 検査条件<Test Conditions> ( 24.2 °C, 59 %rh )

項目 <Item>	レンジ <Range>	入力 <Input>	許容範囲 <Tolerance>	校正値 * <Calibration Value>
確度<Accuracy>				
Ω LP OFF	電源周波数	<Supply frequency>60Hz, 測定スピード<Measurement speed>SLOW		
	3MΩ	0 Ω	-0.00003 MΩ ~ 0.00003 MΩ	( 0.00000 MΩ )
		1MΩ	0.99989 MΩ ~ 1.00011 MΩ	( 1.00001 MΩ )
		1.9MΩ	1.89982 MΩ ~ 1.90018 MΩ	( 1.90003 MΩ )
	10MΩ	0 Ω	-0.00040 MΩ ~ 0.00040 MΩ	( 0.00001 MΩ )
		1.9MΩ	1.89903 MΩ ~ 1.90097 MΩ	( 1.90010 MΩ )
		10MΩ	9.99660 MΩ ~ 10.00340 MΩ	( 10.00007 MΩ )
	30MΩ	0 Ω	-0.0030 MΩ ~ 0.0030 MΩ	( 0.0000 MΩ )
		10MΩ	9.9940 MΩ ~ 10.0060 MΩ	( 10.0007 MΩ )
		19MΩ	18.9913 MΩ ~ 19.0087 MΩ	( 19.0003 MΩ )
	100MΩ	0 Ω	-0.0200 MΩ ~ 0.0200 MΩ	( 0.0000 MΩ )
		19MΩ	18.9610 MΩ ~ 19.0390 MΩ	( 18.9988 MΩ )
		100MΩ	99.8800 MΩ ~ 100.1200 MΩ	( 100.0120 MΩ )
Ω LP ON	電源周波数	<Supply frequency>60Hz, 測定スピード<Measurement speed>SLOW		
	1000mΩ	0 Ω	-0.020 mΩ ~ 0.020 mΩ	( 0.003 mΩ )
		1000mΩ	999.900 mΩ ~ 1000.100 mΩ	( 1000.003 mΩ )
	3Ω	0 Ω	-0.00006 Ω ~ 0.00006 Ω	( 0.00000 Ω )
		1 Ω	0.99986 Ω ~ 1.00014 Ω	( 1.00002 Ω )
	10Ω	0 Ω	-0.00020 Ω ~ 0.00020 Ω	( -0.00003 Ω )
		10 Ω	9.99900 Ω ~ 10.00100 Ω	( 9.99990 Ω )
	100Ω	0 Ω	-0.0010 Ω ~ 0.0010 Ω	( 0.0000 Ω )
		19 Ω	18.9975 Ω ~ 19.0025 Ω	( 19.0000 Ω )
		100 Ω	99.9910 Ω ~ 100.0090 Ω	( 100.0013 Ω )
	300Ω	0 Ω	-0.003 Ω ~ 0.003 Ω	( 0.000 Ω )
		100 Ω	99.989 Ω ~ 100.011 Ω	( 100.002 Ω )
		190 Ω	189.982 Ω ~ 190.018 Ω	( 190.003 Ω )
	1000Ω	0 Ω	-0.010 Ω ~ 0.010 Ω	( 0.000 Ω )
		190 Ω	189.975 Ω ~ 190.025 Ω	( 190.001 Ω )
		1000 Ω	999.910 Ω ~ 1000.090 Ω	( 1000.014 Ω )